

ADDENDUM NO. 1

July 5, 2012

RE: Town of Minturn, Colorado – 2012 Road Rehabilitation Project
Proj. No: 1149.0000.00

FROM: TST, Inc. Consulting Engineers
760 Whalers Way, Bld. C, Suite 200
Fort Collins, CO 80525
(970) 226-0557

TO: Prospective Bidders

This Addendum forms a part of the Contract Documents and modifies the original Bidding Documents as noted below. Bidders shall acknowledge receipt of this Addendum in the space provided on the Bid Form. Failure to acknowledge receipt of this Addendum may be subject to Bidder disqualification.

This Addendum consists of 1 page, including this cover page.

Clarifications

1. This Addendum is being delivered to the BIDDERS ONLY. Each Bidder is solely responsible for notifying each of his sub-contractors, suppliers, etc. of the revisions to the Bidding Documents contained herein.

Changes to the Bidding Documents

1. BID FORM

The bid schedule is revised to reflect updated quantities based. Replace the Bid Form in the Contract Documents with the included Bid Form.

2. SECTION 01400 - QUALITY CONTROL

Add the attached Section 01400 – Quality Control to the Contract Documents.

3. SECTION 01710 – CONSTRUCTION STANDARDS AND SPECIFICATIONS

Add the following to the end of Section 01710.

1.04 All concrete for curb, gutter, sidewalk, pan and driveway cuts shall be CDOT Class D, 4500 psi with fiber mesh.

BID FORM
ADDENDUM # 1

PROJECT IDENTIFICATION: Town of Minturn 2012 Street Rehabilitation Project

THIS BID IS SUBMITTED TO: Town of Minturn
P.O. Box 309
302 Pine St.
Minturn, CO 80645

1. The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an Agreement with Owner in the form included in the Contract Documents to perform and furnish all work as specified or indicated in the Contract Documents for the Contract Price and within the Contract Time indicated in this Bid and in accordance with the other terms and conditions of the Contract Documents.
2. Bidder accepts all of the terms and conditions of the Invitation to Bid and Instructions to Bidders. This Bid will remain subject to acceptance for thirty (30) days after the day of Bid opening. Bidder will sign and submit the Agreement with the Bonds and other documents required by the Bidding Requirements within seven (7) days after the date of Owner's Notice of Award.
3. In submitting this Bid, Bidder represents, as more fully set forth in the Agreement, that:
 - (a) Bidder has examined copies of all the Bidding Documents and of the following Addenda (receipt of all which is hereby acknowledged):

Date	Number
<u>7-5-12</u>	<u>1</u>
_____	_____
_____	_____
_____	_____

- (b) Bidder has familiarized itself with the nature and extent of the Contract Documents, Work, site, locality, and all local conditions, existing agreements and Laws and Regulations that in any manner may affect cost, progress, performance or furnishing of the Work.
 - (c) Bidder has obtained and carefully studied (or assumes responsibility for obtaining and carefully studying) all such examinations, investigations, explorations, tests and studies (in addition to or to supplement those referred to in (c) above) which pertain to the subsurface or physical conditions at the site or otherwise may affect the cost, progress, performance or furnishing of the Work as Bidder considers necessary for the performance or furnishing of the Work at the Contract Price, within the Contract Time and in accordance with the other terms and conditions of the Contract Documents, including specifically the provisions of paragraph 4.02 of the General Conditions; and no additional examinations, investigations, explorations, tests, reports or similar information or data are or will be required by Bidder for such purpose.
 - (d) Bidder has reviewed and checked all information and data shown or indicated on the Contract Documents with respect to existing Underground Facilities at or contiguous to the site and assumes responsibility for the accurate location of said Underground Facilities. No additional examinations, investigations, explorations, tests, reports or similar information or

data in respect of said Underground Facilities are or will be required by Bidder in order to perform and furnish the Work at the Contract Price, within the Contract Time and in accordance with the other terms and conditions of Contract Documents, including specifically the provisions of paragraph 4.04 of the General Conditions.

- (e) Bidder has correlated the results of all such observations, examinations, investigations, explorations, tests, reports and studies with the terms and conditions of the Contract Documents.
- (f) Bidder has given Owner written notice of all conflicts, errors or discrepancies that it has discovered in the Contract Documents and the written resolution thereof by Owner is acceptable to Bidder.
- (g) This Bid is genuine and not made in the interest of or on behalf of any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation; Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or same Bid; Bidder has not solicited or induced any person, firm or a corporation to refrain from bidding; and Bidder has not sought by collusion to obtain for himself any advantage over any other Bidder or over Owner.

4. Bidder will complete the work for the following prices:

BID SCHEDULE - ADDENDUM # 1
TOWN OF MINTURN 2012 ROAD REHABILITATION PROJECT
PINE STREET (Norman Ave. to Toledo Ave.)

No.	Item	Quantity	Units	Unit Cost	Total
A. CONCRETE REMOVE AND REPLACE					
1	Mobilization	1	L.S.		
2	Remove Existing 4' Sidewalk	276	L.F.		
3	Remove Existing 4' Sidewalk and Curb & Gutter	105	L.F.		
4	Remove 30" Pan	80	L.F.		
5	Grade and Compact Subgrade for Concrete	881	L.F.		
6	Install 4' Conc. Sidewalk w/ Curb & Gutter & Drive Cuts (w)	381	L.F.		
7	Install 36" Conc. Pan (west side)	150	L.F.		
8	Install Curb & Gutter & Drive Cuts (east side)	350	L.F.		
9	Curb Return and ADA Ramp	1	Each		
10	Misc. Hand Work and Tie-ins	1	L.S.		
11	Traffic Control	1	L.S.		
12	Bonds	1	L.S.		
SUBTOTAL:					
B. ASPHALT REMOVE AND REPLACE (+/- 600' x 37')					
1	Mobilization	1	L.S.		
2	Saw Cut	100	L.F.		
3	Remove Exist. Asphalt	206	C.Y.		
4	Adjust Manhole Ring and Cover	3	EA.		
5	Adjust Water Valve Box	3	EA.		
6	Grade and Compact Subgrade for Paving	1	L.S.		
7	Additional CL 6 Base Course	100	C.Y.		
8	Install 3" Asphalt Paving	206	C.Y.		
9	Traffic Control	1	L.S.		
10	Utility Potholing	1	L.S.		
11	Bonds	1	L.S.		
SUBTOTAL:					
TOTAL BASE BID PRICE: _____					
WRITE AMOUNT: _____					
ALTERNATIVE A					
1	Deduct for "Mountable" curb and no driveway cuts	731	L.F.		


BID SCHEDULE - ADDENDUM # 1
TOWN OF MINTURN 2012 ROAD REHABILITATION PROJECT
EAGLE STREET

No.	Item	Quantity	Units	Unit Cost	Total
A. CONCRETE CURB AND GUTTER					
1	Mobilization	1	L.S.		
2	Grade and Compact Subgrade for Concrete	800	L.F.		
3	Install Curb & Gutter	780	L.F.		
4	Misc. Hand Work and Tie-ins	1	L.S.		
5	Silt Fence	200	L.F.		
6	Traffic Control	1	L.S.		
7	Bonds	1	L.S.		
SUBTOTAL:					
B. ASPHALT REMOVE AND REPLACE (+/- 800' x 19' plus Parking Area of 96' x 16')					
1	Mobilization	1	L.S.		
2	Saw Cut	150	L.F.		
3	Remove Exist. Asphalt	156	C.Y.		
4	Remove and Stockpile Base Course	141	C.Y.		
5	Excavation and Haul Off	297	C.Y.		
6	Scarify and Compact	1,689	S.Y.		
7	Replace Stockpiled Base Course and Compact	141	C.Y.		
8	Additional CL 6 Base Course	141	C.Y.		
9	Install 3" Asphalt Paving	141	C.Y.		
10	Traffic Control	1	L.S.		
11	Utility Potholing	1	L.S.		
12	Bonds	1	L.S.		
SUBTOTAL:					
C. STORM SEWER					
1	Mobilization	1	L.S.		
2	Install 10' Type R Inlet (10' deep) Over Exist Storm Drain	1	Each		
3	Install 10' Type R Inlet (5' deep)	1	Each		
4	Install 24" HDPE	40	L.F.		
5	Install 5' Manhole (5' deep) and Cut Into Existing Line	1	Eash		
7	Traffic Control	1	L.S.		
8	Utility Potholing	1	L.S.		
9	Bonds	1	L.S.		
SUBTOTAL:					
TOTAL BASE BID PRICE: _____					
WRITE AMOUNT:					

BID SCHEDULE - ADDENDUM # 1
TOWN OF MINTURN 2012 ROAD REHABILITATION PROJECT
EAGLE STREET ADD ALTERNATIVE - TOLEDO AVE.

No.	Item	Quantity	Units	Unit Cost	Total
A. CONCRETE CURB AND GUTTER					
1	Mobilization	1	L.S.		
2	Grade and Compact Subgrade for Concrete	350	L.F.		
3	Install 30" Concrete Pan	270	L.F.		
3	Install Curb Return (transition to outfall)	2	Eash		
4	Misc. Hand Work and Tie-ins	1	L.S.		
5	Traffic Control	1	L.S.		
6	Bonds	1	L.S.		
SUBTOTAL:					
B. ASPHALT REMOVE AND REPLACE (+/- 138' x 24')					
1	Mobilization	1	L.S.		
2	Saw Cut	25	L.F.		
3	Remove Exist. Asphalt	31	C.Y.		
4	Grade and Compact Subgrade for Paving	1	L.S.		
5	Install 3" Asphalt Paving	31	C.Y.		
6	Traffic Control	1	L.S.		
7	Utility Potholing	1	L.S.		
8	Bonds	1	L.S.		
SUBTOTAL:					
C. STORM SEWER REMOVE AND REPLACE					
1	Mobilization	1	L.S.		
2	Remove Exist. 15" Storm Sewer	214	L.F.		
3	Remove Type 13 Inlet	1	Eash		
4	Install 24" HDPE	214	L.F.		
5	Install 5' Type R Inlet (5' deep)	1	Eash		
6	Asphalt Patch Around Inlet Installation	1	L.S.		
7	Traffic Control	1	L.S.		
8	Utility Potholing	1	L.S.		
9	Bonds	1	L.S.		
SUBTOTAL:					
TOTAL ADDITIONAL BID PRICE: _____					
WRITE AMOUNT:					

TOWN OF MINTURN
 2012 ROAD REHABILITATION
 PINE STREET



CONSTRUCTION NOTES:

- REMOVE EXISTING ASPHALT
- REMOVE REQUIRED CONCRETE
- REPLACE REQUIRED CONCRETE
- REGRADE, ADD TO, AND COMPACT ROAD BASE
- PAVE WITH 3" NEW ASPHALT

SPECIFICATION:

- ALL REMOVAL TO INCLUDE HAUL OFF & LAWFUL DISPOSAL
- CURB & CUTTER SHALL BE CDOT TYPE II W/ 2' GUTTER
- SIDEWALK SHALL BE 6" THICK MINIMUM
- DRIVEWAY CUTS SHALL BE CDOT TYPE I
- CONCRETE PAN SHALL BE 6" THICK MINIMUM


NOT TO SCALE

EXHIBIT



760 Wheelers Way
 Bldg. C Suite 200
 Fort Collins, Colorado
 Phone: 970.226.0557
 Fax: 970.226.0204
 Job no. 1149.0000.00
 Filename: K:\1149\0000\DWGS\0000.
 ROAD CROSS SECTION.dwg

TOWN OF MINTURN
 2012 ROAD REHABILITATION
 EAGLE STREET



CONSTRUCTION NOTES: REMOVE EXISTING ASPHALT
 REMOVE EXISTING BASE COURSE AND STOCKPILE
 EXCAVATE TO APPROPRIATE SUBGRADE, SCARIFY, AND COMPACT
 INSTALL CURB & GUTTER
 INSTALL STOCKPILE BASE, ADD TO, AND COMPACT BASE COURSE
 PAVE WITH 3" NEW ASPHALT

SPECIFICATION: ALL REMOVAL TO INCLUDE HAUL OFF & LAWFUL DISPOSAL
 CONCRETE PAN SHALL BE 6" THICK MINIMUM


NOT TO SCALE

EXHIBIT



760 Wheeler Way
 Bldg. C Suite 200
 Fort Collins, Colorado
 Phone: 970.226.0557
 Fax: 970.226.0204
 Job no. 1149.0000.00
 Filename: K:\1149\0000\DWGS\0000.
 ROAD CROSS SECTION.dwg

TOWN OF MINTURN
 2012 ROAD REHABILITATION
 TOLEDO AVENUE



EXHIBIT

JST CONSULTING ENGINEERS
 760 Wheeler Way
 Bldg. C Suite 200
 Fort Collins, Colorado
 Phone: 970.226.0557
 Fax: 970.226.0204
 Job no. 1149.0000.00
 Filename: K:\1149\0000\DWGS\0000-
 ROAD CROSS SECTION.dwg

- CONSTRUCTION NOTES:**
- REMOVE EXISTING ASPHALT REGRADE, ADD TO, AND COMPACT ROAD BASE
 - INSTALL CONCRETE PANS AND OUTFALL RETURNS
 - PAVE WITH 3" NEW ASPHALT
- SPECIFICATION:**
- ALL REMOVAL TO INCLUDE HAUL OFF & LAWFUL DISPOSAL
 - CURB & CUTTER SHALL BE CDOT TYPE II W/ 2' GUTTER

NOT TO SCALE

5. Bidder agrees that the Work will be substantially completed for the entire project within 40 calendar days after the date when the Contract Time commences to run as provided in paragraph 2.03 of the General Conditions, and finally completed within 50 calendar days after the date when the Contract Time commences to run.

Bidder accepts the provisions of the Agreement as to liquidated damages in the event of failure to complete the Work on time.

6. The terms used in this Bid which are defined in the General Conditions of the Construction Contract included as part of the Contract Documents have the meanings assigned to them in the General Conditions.

Submitted on _____, 2012.

If Bidder is:

An Individual

By: _____ (SEAL)
(Individual's Name)

doing business as: _____

Business Address: _____

Phone No: _____

A Partnership

By: _____ (SEAL)
(Firm Name)

(General Partner)

Business Address: _____

Phone No: _____

A Corporation

By: _____
(Corporation Name)

(SEAL)

(State of Incorporation)

By: _____
(Name of Person Authorized to Sign)

(Title)

Attest: _____
(Secretary)

Business Address: _____

Phone No: _____

A Joint Venture

By: _____
(Name)

(SEAL)

(Address)

By: _____

(Address)

(Each joint venturer must sign. The manner of signing for each individual, partnership and corporation that is a party to the joint venture should be in the manner indicated above.)

SUBCONTRACTORS LIST

<u>Name</u>	<u>Description of Work</u>	<u>% of Bid</u>

The above listed Subcontractors are subject to Sections 6.06 of the General Conditions as amended by the Supplementary Conditions.

Contractor's Signature

SECTION 01400

QUALITY CONTROL

PART 1 - GENERAL

1.01 Description

- A. The purpose of this section is to define the responsibilities for project staking and for performing the tests required by these specifications.

1.02 Construction Stake Out

- A. General:
 - 1. Construction stakes shall be provided by the Owners engineer to establish general horizontal and vertical location of all improvements.

1.03 Tests and Inspections

- A. The Owner shall employ and pay for the services of a qualified independent testing laboratory to conduct the tests for:
 - 1. Soil compaction control.
 - 2. Cast-in-place concrete.
 - 3. Pavement repair and resurfacing.
- B. The contractor shall conduct any additional required tests under the observation of and to the satisfaction of the Engineer including but not limited to:
 - 1. Wheel roll tests.

END OF SECTION