

**TOWN OF MINTURN, COLORADO  
ORDINANCE NO. 5 - SERIES 2011**

**AN ORDINANCE OF THE TOWN OF MINTURN REPEALING AND REENACTING ARTICLES 1-4 AND 5-8 OF CHAPTER 18 OF THE TOWN OF MINTURN MUNICIPAL CODE AND REPLACING THOSE SECTIONS WITH ARTICLES 1-4 AND 5-8 AND ADDING A NEW ARTICLE 9 AND 10 AND RENUMBERING SUBSEQUENT SECTIONS TO ADOPT BY REFERENCE THE 2009 EDITIONS OF INTERNATIONAL BUILDING CODE, INTERNATIONAL RESIDENTIAL CODE, INTERNATIONAL FUEL GAS CODE, INTERNATIONAL ENERGY CONSERVATION CODE, INTERNATIONAL PLUMBING CODE, INTERNATIONAL MECHANICAL CODE, INTERNATIONAL PROPERTY MAINTENANCE CODE AND THE NATIONAL ELECTRICAL CODE AS CURRENTLY ADOPTED BY THE STATE OF COLORADO**

**WHEREAS**, in promotion of the public health, safety and welfare of the inhabitants of the Town of Minturn, the Town Council desires to update its ordinances by adopting the 2009 International Building Codes with amendments; and

**WHEREAS**, section 11.11 of the Home Rule Charter and section 31-16-202, C.R.S., as amended, permit the contemplated adoption by reference of such codes upon notice and hearing as provided in Section 31-16-203, C.R.S.; and

**WHEREAS**, the Minturn Town Council held a public hearing, with proper notice provided, to consider adoption of such International Codes as required by law; and

**WHEREAS**, copies of said International Codes are available in the Planning Office at the Minturn Town Center; and

**WHEREAS**, the Town Council has determined, based on the evidence and testimony presented at the public hearing, that the adoption of these codes, as amended herein, will further the health, safety and welfare of the inhabitants of Minturn; and

**NOW, THEREFORE, THE TOWN OF MINTURN, COLORADO, ORDAINS** as follows:

**Section 1.** Article 1 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

**Section 18-1-10. Title.**

The provisions of the ordinance codified herein shall be know and cited collectively as the "Town of Minturn Building Code" or "International Codes."

**Section 18-1-20. Codes adopted.**

- (1) The Town of Minturn adopts by reference the following codes:

- a. *International Building Code, 2009 Edition*, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001
- b. *International Residential Code, 2009 Edition*, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001
- c. *International Fuel Gas Code, 2009 Edition*, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001
- d. *International Energy Conservation Code, 2009 Edition* as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001
- e. *International Plumbing Code, 2009 Edition*, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001
- f. *International Mechanical Code, 2009 Edition*, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001
- g. *International Property Maintenance Code, 2009 Edition*, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001
- h. *National Electrical Code as currently adopted by the State of Colorado.*
- i. *International Fire Code, 2009 Edition, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001 (adopted by Ordinance 8 - Series 2011)*

**Section 2.** Article 2 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

### **Building Code**

#### **Section 18-2-10. International Building Code adopted.**

(a) The *International Building Code, 2009 Edition, 2<sup>nd</sup> printing*, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001, Chapters 1 through 35 inclusive, exclusive of any Appendices, (“IBC”) is hereby adopted by reference as the Town of Minturn Building Code as if fully set out in this Ordinance with the additions, deletions, insertions and changes as set forth in this Article.

(b) No building shall be hereafter constructed, erected, enlarged, altered, or moved into the Town unless the same shall, as to design, construction, quality of materials and workmanship, conform with the IBC, as adopted and as amended.

## **Section 18-2-20. Amendments.**

The following sections of the adopted code are hereby revised as follows:

- (1) Section 111.2 Certificate Issued shall read: "Final Certificate of Occupancy Inspection approval shall be the Certificate of Occupancy."
- (2) Section 419.2 Occupancies. The following sentence shall be added: "F and I occupancies shall not be permitted in a live/work unit."
- (3) Section 1029 Emergency Escapes and Rescue is amended to delete *Exception 1*
- (4) Section 1608.2 Ground Snow Loads is hereby deleted and replaced with the following: "Snow loads for roods and decks shall be 75 pounds per square foot."
- (5) Section 1809.5 Frost Protection. This section is amended by deleting the section in its entirety and replacing it with the following language: "Foundation walls, piers and other permanent supports of buildings and structures shall be protected from frost by the following method – Footings subject to frost shall have a minimum depth of 48" measured from finished grade to the bottom of the footing or the depth specified by the soils engineer of record."
- (6) Section 1809.12 Timber Footings is deleted in its entirety.
- (7) Section 2111.13 Exterior Air Intake is amended by adding the following: "Outside combustion air intake shall be required for all gas-fired and wood burning fireplaces. Combustion air ducts shall be a minimum 26 gauge sheet metal for the portion of duct extending through the building on the outside of the fire-resistive shaft. Ducts extending from the fireplace and exiting directly to the outside without passing through any other portion of the building may be of any material permitted by the fireplace manufacturer or the International Mechanical Code. Fireplaces: Where dampers are required to be removed, clamped or welded open- doors in front of fireplace openings are required.
- (8) Section 3001.5 is amended to read as follows: "A fee for each permit and plan review shall be paid to the Northwest Colorado Council of Governments. The annual certificate of inspection will be administered by the certified elevator inspection agency. For permit applications and inspections, contact Elevator Inspection Program at (970) 468-0295. Ext. 108

**Section 3.** Article 3 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

### **Residential Code**

#### **Section 18-3-10. International Residential Code adopted**

- (a) The *International Residential Code*, 2009 Edition, 2<sup>nd</sup> printing, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001, Chapters 1 through 44 inclusive and Appendices A, C, G, H, and N, (“IRC”) is hereby adopted by reference as the Town of Minturn Residential Building Code as if fully set out in this Ordinance, with the additions, deletions, insertions and changes as set forth in this Article.
- (b) No residential building shall be hereafter constructed, erected, enlarged, altered, or moved into the Town unless the same shall, as to design, construction, quality of materials and workmanship, conform with the IRC, as adopted and as amended.

### **Section 18-3-20. Amendments.**

The following sections of the adopted code are hereby revised as follows:

- (1) Section R104.4 Inspections is amended by the addition of the following paragraph: “A third party inspection by a certified log inspection agency shall be required of all structural members in log framed buildings. A letter from the log grading agency certifying log grades are in accordance with the plan specifications shall be required at, or prior to frame inspection. Elevators installed in all structures shall require a third party plan review and inspection by Northwest Colorado Council of Governments.”
- (2) Section R301.2.3 Snow Loads is amended by the addition of the following: “Snow loads for roofs and decks shall be 75 pounds per square foot.”
- (3) Section R302.2.2 Townhouses is amended by the deletion of the exception.
- (4) Section R302.5.1 is amended by the addition of the following statement at the end, *Doors shall be self closing.*
- (5) Section R302.7 is amended to read enclosed accessible spaces under stairs shall have walls, under stair surfaces and any soffit protected on the enclosed side with 5/8” Type X gypsum board.
- (6) Section R313.1 Townhouse automatic fire sprinkler systems is deleted in its entirety.
- (7) Section R313.2 One and two-family dwelling automatic fire systems is deleted in its entirety.
- (8) Section R315.1 Carbon Monoxide alarms is amended by deleting this section and replacing it with the following language: “For new construction, an approved carbon monoxide alarm shall be installed within fifteen feet of the entrance to each bedroom in dwelling units within which fuel-fired appliances are installed and in dwelling units that have attached garages.”
- (9) Section R403.1.4.1 Frost Protection is amended by deleting the section in its entirety and replacing it with the following: “Foundation walls, piers, and other permanent supports of buildings shall be protected from frost by the following method – Footings subject to frost shall have a minimum depth of 48” measured from finished grade to the bottom of the footing or the depth specified by the soils engineer of record.”

- (10) Section R403.2 Footings for Wood Foundations is amended by adding the following:  
“Foundations shall be designed by a registered Colorado Engineer or Architect and approved by a Geotechnical Engineer.
- (11) Section R403.3 Frost Protected Shallow Foundations is amended by adding the following: “Foundations shall be designed by a registered Colorado Engineer or Architect and approved by a Geotechnical Engineer.
- (12) Section R404.2 Wood Foundation Walls is amended by adding the following:  
“Foundations shall be designed by a registered Colorado Engineer or Architect and approved by the Geotechnical Engineer.”
- (13) Section G2425.8 (501.8) Equipment Not Required to be Vented is amended by deleting item #7. The sentence after this exception should be amended to read: “Where the appliances listed in Items 5 and 6 above...”
- (14) Section G2445 (621) is amended by removing all subsections and replacing it with  
“Section G2445.1 General. Unvented room heaters are prohibited from installation.”
- (15) Table R301.2(1) is amended by deleting it in its entirety and replacing it with the following:

Table R301.2(1)

CLIMATIC AND GEOGRAPHIC DESIGN CRITERIA

| Roof<br>Snow<br>Load | WIND DESIGN    |                        | SEISMIC<br>DESIGN<br>CATEGORY | SUBJECT TO DAMAGE FROM |                        |                      | WINTER<br>DESIGN<br>TEMP | ICE BARRIER<br>UNDERLAYMENT<br>REQUIRED | FLOOD<br>HAZARDS | AIR<br>FREEZING<br>INDEX | MEAN<br>ANNUAL<br>TEMP |
|----------------------|----------------|------------------------|-------------------------------|------------------------|------------------------|----------------------|--------------------------|---|------------------|--------------------------|------------------------|
|                      | Speed<br>(mph) | Topographic<br>effects |                               | Weathering             | Frost<br>line<br>depth | Termite              |                          |   |                  |                          |                        |
| 75<br>psf            | 90             | NO                     | B                             | SEVERE                 | 48"                    | NONE<br>TO<br>SLIGHT | -15° F                   | YES                                     | 2007             | 2000                     | 45° F                  |

(16) Table R302.6 is amended to read:

| SEPERATION  | MATERIAL  |
|---|---|
| From residence and attics   | not less than 5/8" Type X gypsum board applied on the garage side   |
| From all habitable rooms above the garage   | not less than 5/8" Type X gypsum board  |
| Structure(s) supporting floor ceiling assemblies used for separation required by this section | not less than 5/8" Type X gypsum board  |
| Garages located less than 6 feet from a dwelling unit on the same lot                         | not less than 5/8" Type X gypsum board applied to the interior side of exterior walls of the garage that are within this area |

(17) Add a new Section R303.1.2 Mechanical ventilation to read:

**R303.1.2 Mechanical ventilation.** Dwelling units shall be provided with a mechanical exhaust system, supply system, or combination thereof to provide whole-building ventilation with outdoor air. Such system shall comply with Section R303.1.2.1 through R303.1.2.2.

**Exception:**

1. Other *approved* mechanical ventilation systems.

(18) Add a new Section R303.1.2.1 Mechanical ventilation rate to read:

**R303.1.2.1 Mechanical ventilation rate.** The mechanical ventilation system shall provide outdoor air continuously at a rate of not less than that determined in accordance with Table R303.4(1)

**Exception:** Continuous operation of the system is not required where the system has controls that enable operation for not less the 25% of each 6 hour segment and the ventilation rate prescribed in Table R303.1.2.1 (1) is multiplied by the factor in accordance with Table R303.1.2.1 (2)

(19) Add a new table, TABLE R303.1.2.1 (1) to read:

**TABLE R303.1.2.1 (1)**  
**VENTILATION AIR REQUIREMENTS, CFM<sup>1</sup>**

| FLOOR AREA (SQ. FT.) | BEDROOMS |     |     |     |     |
|----------------------|----------|-----|-----|-----|-----|
|                      | 0-1      | 2-3 | 4-5 | 6-7 | >7  |
| <1,500               | 30       | 45  | 60  | 75  | 90  |
| 1,500-3,000          | 45       | 60  | 75  | 90  | 105 |
| 3,001-4,500          | 60       | 75  | 90  | 105 | 120 |
| 4,501-6,000          | 75       | 90  | 105 | 120 | 135 |
| 6,001-7,500          | 90       | 105 | 120 | 135 | 150 |
| >7,500               | 105      | 120 | 135 | 150 | 165 |

For SI: 1 square foot = 0.0929 m<sup>2</sup>.

- Equation R303.1.2.1 (1) can be used as an alternative to Table R303.1.2.1 (1)

$$Q_{fan} = 0.01 A_{floor} + 7.5 (N_{br} + 1)$$

Where:

$Q_{fan}$  = fan flow rate in cubic feet per minute (cfm).

$A_{floor}$  = floor area in square feet (ft<sup>2</sup>)

$N_{br}$  = number of bedrooms; not to be less than 1

- Add a new table, TABLE R303.1.2.1 (2) to read:

**TABLE R303.1.2.1 (2)**

**INTERMITTENT MECHANICAL VENTILATION RATE FACTORS<sup>a b</sup>**

| Run-Time Percentage In each 6 hour Segment | 25% | 33% | 50% | 66% | 75% |
|--|-----|-----|-----|-----|-----|
| Factor                                     | 4   | 3   | 2   | 1.5 | 1.3 |

a. Interpolation between entries is permitted.

b. The ventilation system run time shall be not less than 25%

- Add a new section R303.1.2.2, System design, to read:

**R303.1.2.2 System design.** The required whole-house ventilation system shall consist of one or more supply or exhaust fans or a combination thereof and associated ducts and controls. Outdoor air ducts connected to the return side of an air handler shall be considered to be supply ventilation where the manufacturer's requirements for a minimum return air temperature for the air handler are met.

- Add a new section R303.1.2.3 System Controls, to read:

**R303.1.2.3 System Controls.** The mechanical ventilation system shall be provided with controls that enable occupant override.

(23) Add a new section R303.3.1 Bathroom ventilation to read:

**R303.3.1 Bathroom ventilation.** Bathrooms shall be mechanically exhausted in accordance with section 1507.

**Section 4.** Article 4 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

### **International Fuel Gas Code**

#### **Section 18-4-10. International Fuel Gas Code adopted.**

(a) The *International Fuel Gas Code*, 2009 Edition 2<sup>nd</sup> printing as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001, Chapters 1 through 8 inclusive, ("IFGC") is hereby adopted by reference as the Town of Minturn Fuel Gas Code as if fully set out in this Ordinance with the additions, deletions, insertions and changes as set forth in this Article.

(b) No building shall be hereafter constructed, erected, enlarged, altered, or moved into the Town unless the same shall, as to design, construction, quality of materials and workmanship, conform with the IFGC, as adopted and as amended.

#### **Section 18-4-20. Amendments.**

The following sections of the adopted code are hereby revised as follows:

- (1) Section 303.3 Prohibited Locations is amended by deleting exceptions number 3 and 4.
- (2) Section 402.6.2 Liquefied Petroleum Gas Facilities and Piping is amending by the addition of the following sentence: "Liquefied petroleum gas facilities and equipment shall not be located in any pit or basement, under show windows or interior stairways, in engine, boiler, heater, or electric meter rooms". The following exception shall apply: "equipment may be installed with an approved means of detection and removal of unburned liquid petroleum gas. A minimum 3" drain pipe to the exterior of the building, propane sensor and automatic safety shutoff shall be installed. The drain shall not be trapped and shall be protected from snow closure and rodents. When the above listed means cannot be achieved, an engineered mechanical exhaust system with a propane sensor, and an automatic safety shut-off, shall be required".
- (3) Section 501.8 Equipment Not Required to be Vented is amended by the deletion of item No. 8

**Section 5.** Article 6 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

### **International Energy Conservation Code**

#### **Section 18-5-10. International Energy Conservation Code adopted.**

(a) The *International Energy Conservation Code*, 2009 Edition 5<sup>th</sup> printing as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001, Chapters 1 through 6 inclusive, ("IECC") is hereby adopted by reference as the Town of Minturn Energy Code as if fully set out in this Ordinance with the additions, deletions, insertions and changes as set forth in this Article.

(b) No building shall be hereafter constructed, erected, enlarged, altered, or moved into the Town unless the same shall, as to design, construction, quality of materials and workmanship, conform with the IECC, as adopted and as amended.

#### **Section 18-5-20. Amendments.**

The following sections of the adopted code are hereby revised as follows:

- (1) Chapter 1 Administration shall be deleted and chapter 1 of the IBC and IRC shall apply.

**Section 6.** Article 7 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

### **International Plumbing Code**

(a) The *International Plumbing Code*, 2009 Edition 3<sup>rd</sup> printing as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001, Chapters 1 through 13 inclusive, ("IPC") is hereby adopted by reference as the Town of Minturn Plumbing Code as if fully set out in this Ordinance with the additions, deletions, insertions and changes as set forth in this Article.

(b) No building shall be hereafter constructed, erected, enlarged, altered, or moved into the Town unless the same shall, as to design, construction, quality of materials and workmanship, conform with the IPC, as adopted and as amended.

**Section 7.** Article 8 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

### **Mechanical Code**

#### **Section 18-8-10. International Mechanical Code adopted.**

(a) The *International Mechanical Code*, 2009 Edition 4<sup>th</sup> printing as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001, Chapters 1 through 15 inclusive, ("IMC") is hereby adopted by reference as the Town of Minturn Mechanical Code as if fully set out in this Ordinance with the additions, deletions, insertions and changes as set forth in this Article.

(b) No building shall be hereafter constructed, erected, enlarged, altered, or moved into the Town unless the same shall, as to design, construction, quality of materials and workmanship, conform with the IMC, as adopted and as amended.

**Section 8.** Article 9 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

### **Property Maintenance Code**

#### **Section 18-9-10. International Property Maintenance Code adopted.**

(a) The *International Property Maintenance Code*, 2009 Edition 1<sup>st</sup> printing as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001, is hereby adopted by reference as the Town of Minturn Property Maintenance Code as if fully set out in this Ordinance with the additions, deletions, insertions and changes as set forth in this Article.

(b) No building shall be hereafter constructed, erected, enlarged, altered, or moved into the Town unless the same shall, as to design, construction, quality of materials and workmanship, conform with the IPMC, as adopted and as amended.

**Section 9.** Article 10 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

### **National Electrical Code**

#### **Section 18-9-10. National Electrical Code adopted.**

(a) The *National Electrical Code*, as published by the National Fire Protection Association, and the rules and regulations thereunder, as adopted, amended and updated to the most current edition by the Colorado State Electrical Board from time to time ("NEC") pursuant to the authority set forth in Article 23 of Title 12, C.R.S., is hereby adopted by reference as the City of Centennial Electrical Code as if fully set out in this Ordinance with the additions, deletions, insertions and changes as set forth in this Article.

(b) No building shall be hereafter constructed, erected, enlarged, altered, or moved into the City unless the same shall, as to design, construction, quality of materials and workmanship, conform with the NEC, as adopted and as amended.

**Section 10. Severability.** If any part, section, sub-section, clause or phrase of this Ordinance is for any reason held to be invalid, such decision shall not affect the validity of the remaining portions of this Ordinance; and the Town Council for the Town of Minturn, Colorado hereby declares it would have passed this ordinance and each part, section, sub-section, sentence, clause or phrase thereof, irrespective of the fact that any one or more parts, sections, sub-sections, sentences, clauses or phrases be declared invalid.

**Section 11.** The Town Council hereby finds, determines and declares that this

Ordinance is necessary and proper for the health, safety and welfare of the Town of Minturn and the inhabitants thereof.

**Section 12.** The repeal or the repeal and re-enactment of any provision of the Minturn Municipal Code as provided in this ordinance shall not affect any right which has accrued, and duty imposed, any violation that occurred prior to the effective date hereof, any prosecution commenced, nor any other action or proceeding as commenced under or by virtue of the provision repealed or repealed and re-enacted. The repeal of any provision hereby shall not revive any provision or any ordinance previously repealed or superseded unless expressly stated herein.

**INTRODUCED, TITLE READ IN FULL, APPROVED ON FIRST READING AND ORDERED PUBLISHED IN FULL THE 20 DAY OF JULY, 2011. A PUBLIC HEARING ON THIS ORDINANCE SHALL BE HELD AT THE REGULAR MEETING OF THE TOWN COUNCIL OF THE TOWN OF MINTURN, COLORADO, ON THE 3 DAY OF AUGUST, 2011, AT 7 P.M. IN THE MINTURN TOWN CENTER IN THE TOWN OF MINTURN, COLORADO.**

*Henriette Flaherty*

Mayor

Attest:

*[Signature]*

Town Clerk



**THE TOWN OF MINTURN, COLORADO, ORDAINS THIS ORDINANCE READ BY TITLE, ENACTED AND ORDERED PUBLISHED BY TITLE ONLY ON SECOND READING THIS 3 DAY OF August, 2011.**


*Henriette Flaherty*

Mayor

Attest:

*[Signature]*

Town Clerk



TOWN OF MINTURN ORDINANCE CHECKLIST

*Ord 5 - 2011*

FIRST READING

7/20/11 The ordinance shall be introduced and read by title at any regular or special meeting. Copies shall be available to the public.

7/25/11 If the ordinance is approved on first reading, Mayor and Clerk must sign ordinance after first reading. It shall be published in full in a newspaper of general circulation within the Town. The minutes shall reflect number of votes for and against each ordinance.

\_\_\_\_\_ If the ordinance is tabled, it shall be reconsidered at subsequent meetings until it is approved with or without amendment or rejected by vote of the Council.

8/2/11 The Council shall set a day, hour and place at which the Council shall hold a public hearing on the ordinance, and notice of such day, hour and place shall be included in the first publication.

SECOND READING

\_\_\_\_\_ The ordinance shall be introduced a second time at the meeting at which the public hearing on the ordinance is held. The ordinance may be read by title only on second reading. The ordinance may be amended before final approval or rejection by vote of the Council. The text of any such amendment or amendments shall be read in full.

\_\_\_\_\_ If the ordinance is substantially amended it shall be published in full after final passage. If not amended in substance, it may be published either by title or in full, as the Council may determine, after final passage.

\_\_\_\_\_ The minutes shall reflect the number of votes for and against the ordinance.

\_\_\_\_\_ A true copy of every ordinance shall be numbered and recorded in the official records of the Town. Its adoption and publication shall be authenticated by the signatures of the Mayor or Mayor Pro Tem and the Town Clerk and by the certificate of publication. Proof of publication for both readings shall be attached to the ordinance.

\_\_\_\_\_ The effective date of ordinances is seven (7) days after publication following final passage unless a later date is prescribed in the ordinance.

Ad Ticket #5

Acct: 1003134  
Phone: (303)827-5645  
E-Mail:  
Client:  
Caller: Jay  
Receipt

Name: Town of Minturn  
Address: PO Box 309  
City: Minturn  
State: CO  
Zip: 81645-0309

Ad Name: 6804958D  
Editions: 8VD/8VDI/  
Start: 07/25/11  
Color:  
Copylines: 6804958 2-2 Ordinance No 5-2011

Original Id: 6804915  
Class: 0990  
Stop: 07/25/11  
Issue 1  
Rep: Pam Schultz

|              |               |
|--------------|---------------|
| Lines:       | 0             |
| Depth:       | 10            |
| Columns:     | 5             |
| Discount:    | 0.00          |
| Commission:  | 0.00          |
| Net:         | 0.00          |
| Tax:         | 0.00          |
| <b>Total</b> | <b>325.00</b> |
| Payment      | 0.00          |

| LINE NUMBER | DESCRIPTION | DATE     | AMOUNT | CHECK NUMBER |
|-------------|-------------|----------|--------|--------------|
| 001         | ADVERTISING | 07/25/11 | 325.00 |              |

1. This invoice is for advertising on the following stations:  
 2. The advertising spots are for the following:  
 3. The advertising spots are for the following:  
 4. The advertising spots are for the following:  
 5. The advertising spots are for the following:  
 6. The advertising spots are for the following:  
 7. The advertising spots are for the following:  
 8. The advertising spots are for the following:  
 9. The advertising spots are for the following:  
 10. The advertising spots are for the following:

11. The advertising spots are for the following:  
 12. The advertising spots are for the following:  
 13. The advertising spots are for the following:  
 14. The advertising spots are for the following:  
 15. The advertising spots are for the following:  
 16. The advertising spots are for the following:  
 17. The advertising spots are for the following:  
 18. The advertising spots are for the following:  
 19. The advertising spots are for the following:  
 20. The advertising spots are for the following:

21. The advertising spots are for the following:  
 22. The advertising spots are for the following:  
 23. The advertising spots are for the following:  
 24. The advertising spots are for the following:  
 25. The advertising spots are for the following:  
 26. The advertising spots are for the following:  
 27. The advertising spots are for the following:  
 28. The advertising spots are for the following:  
 29. The advertising spots are for the following:  
 30. The advertising spots are for the following:

Ad shown is not actual print size

Acct: 1003134  
Phone: (303)827-5645  
E-Mail:  
Client:  
Caller: Jay  
Receipt

Name: Town of Minturn  
Address: PO Box 309

City: Minturn  
State: CO

Zip: 81645-0309

Ad Name: 6804915D

Original Id: 6804893

Editions: 8VD/8VDI/

Class: 0990

Start: 07/25/11

Stop: 07/25/11

Color:

Issue 1

Copyline: 6804915 1-2 Ordinance No 5-2011

Rep: Pam Schultz

|              |               |
|--------------|---------------|
| Lines:       | 0             |
| Depth:       | 15            |
| Columns:     | 5             |
| Discount:    | 0.00          |
| Commission:  | 0.00          |
| Net:         | 0.00          |
| Tax:         | 0.00          |
| <b>Total</b> | <b>487.50</b> |
| Payment      | 0.00          |

*[Faint, mostly illegible text and graphics, likely a newspaper page or a large advertisement, including a small table with columns and rows.]*

Ad shown is not actual print size

AN ORDINANCE OF THE TOWN OF MINTURN REPEALING AND REENACTING ARTICLES 1-4 AND 5-8 OF CHAPTER 18 OF THE TOWN OF MINTURN MUNICIPAL CODE AND REPLACING THOSE SECTIONS WITH ARTICLES 1-4 AND 5-8 AND ADDING A NEW ARTICLE 9 AND 10 AND RENUMBERING SUBSEQUENT SECTIONS TO ADOPT BY REFERENCE THE 2009 EDITIONS OF INTERNATIONAL BUILDING CODE, INTERNATIONAL RESIDENTIAL CODE, INTERNATIONAL FUEL GAS CODE, INTERNATIONAL ENERGY CONSERVATION CODE, INTERNATIONAL PLUMBING CODE, INTERNATIONAL MECHANICAL CODE, INTERNATIONAL PROPERTY MAINTENANCE CODE AND THE NATIONAL ELECTRICAL CODE AS CURRENTLY ADOPTED BY THE STATE OF COLORADO

WHEREAS, in promotion of the public health, safety and welfare of the inhabitants of the Town of Minturn, the Town Council desires to update its ordinances by adopting the 2009 International Building Codes with amendments; and

WHEREAS, section 11.11 of the Home Rule Charter and section 31-16-202, C.R.S., as amended, permit the contemplated adoption by reference of such codes upon notice and hearing as provided in Section 31-16-203, C.R.S.; and

WHEREAS, the Minturn Town Council held a public hearing, with proper notice provided, to consider adoption of such International Codes as required by law; and

WHEREAS, copies of said International Codes are available in the Planning Office at the Minturn Town Center; and

WHEREAS, the Town Council has determined, based on the evidence and testimony presented at the public hearing, that the adoption of these codes, as amended herein, will further the health, safety and welfare of the inhabitants of Minturn; and

NOW, THEREFORE, THE TOWN OF MINTURN, COLORADO, ORDAINS as follows:

Section 1. Article 1 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

Section 18-1-10. Title.

The provisions of the ordinance codified herein shall be known and cited collectively as the "Town of Minturn Building Code" or "International Codes."

Section 18-1-20. Codes adopted.

- (1) The Town of Minturn adopts by reference the following codes:
  - a. *International Building Code, 2009 Edition*, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001
  - b. *International Residential Code, 2009 Edition*, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001
  - c. *International Fuel Gas Code, 2009 Edition*, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001
  - d. *International Energy Conservation Code, 2009 Edition* as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001
  - e. *International Plumbing Code, 2009 Edition*, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001
  - f. *International Mechanical Code, 2009 Edition*, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001
  - g. *International Property Maintenance Code, 2009 Edition*, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001
  - h. *National Electrical Code as currently adopted by the State of Colorado.*
  - i. *International Fire Code, 2009 Edition*, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001 (adopted by Ordinance 8 - Series 2011)

Section 2. Article 2 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

Building Code

Section 18-2-10. International Building Code adopted.

(a) The *International Building Code, 2009 Edition, 2nd printing*, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001, Chapters 1 through 35 inclusive, exclusive of any Appendices, ("IBC") is hereby adopted by reference as the Town of Minturn Building Code as if fully set out in this Ordinance with the additions, deletions, insertions and changes as set forth in this Article.

(b) No building shall be hereafter constructed, erected, enlarged, altered, or moved into the Town unless the same shall, as to design, construction, quality of materials and workmanship, conform with the IBC, as adopted and as amended.

Section 18-2-20. Amendments.

The following sections of the adopted code are hereby revised as follows:

- (1) Section 111.2 Certificate Issued shall read: "Final Certificate of Occupancy Inspection approval shall be the Certificate of Occupancy."
- (2) Section 419.2 Occupancies. The following sentence shall be added: "F and I occupancies shall not be permitted in a live/work unit."
- (3) Section 1029 Emergency Escapes and Rescue is amended to delete *Exception 1*
- (4) Section 1608.2 Ground Snow Loads is hereby deleted and replaced with the following: "Snow loads for roofs and decks shall be 75 pounds per square foot."
- (5) Section 1809.5 Frost Protection. This section is amended by deleting the section in its entirety and replacing it with the following language: "Foundation walls, piers and other permanent supports of buildings and structures shall be protected from frost by the following method - Footings subject to frost shall have a minimum depth of 48" measured from finished grade to the bottom of the footing or the depth specified by the soils engineer of record."
- (6) Section 1809.12 Timber Footings is deleted in its entirety.
- (7) Section 2111.13 Exterior Air Intake is amended by adding the following: "Outside combustion air intake shall be required for all gas-fired and wood burning fireplaces. Combustion air ducts shall be a minimum 26 gauge sheet metal for the portion of duct extending through the building on the outside of the fire-resistive shaft. Ducts extending from the fireplace and exiting directly to the outside without passing through any other portion of the building may be of any material permitted by the fireplace manufacturer or the International Mechanical Code. Fireplaces: Where dampers are required to be removed, clamped or welded open - doors in front of fireplace openings are required."
- (8) Section 3001.5 is amended to read as follows: "A fee for each permit and plan review shall be paid to the Northwest Colorado Council of Governments. The annual certificate of inspection will be administered by the certified elevator inspection agency. For permit applications and inspections, contact Elevator Inspection Program at (970)468-0293. Ext. 108

Section 3. Article 3 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

Residential Code

Section 18-3-10. International Residential Code adopted

- (a) The *International Residential Code, 2009 Edition, 2nd printing*, as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001, Chapters 1 through 44 inclusive and Appendices A, C, G, H, and N, ("IRC") is hereby adopted by reference as the Town of Minturn Residential Building Code as if fully set out in this Ordinance, with the additions, deletions, insertions and changes as set forth in this Article.
- (b) No residential building shall be hereafter constructed, erected, enlarged, altered, or moved into the Town unless the same shall, as to design, construction, quality of materials and workmanship, conform with the IRC, as adopted and as amended.

Section 18-3-20. Amendments.

The following sections of the adopted code are hereby revised as follows:

- (1) Section R104.4 Inspections is amended by the addition of the following paragraph: "A third party inspection by a certified log

inspection agency shall be required of all structural members in log framed buildings. A letter from the log grading agency certifying log grades are in accordance with the plan specifications shall be required at, or prior to frame inspection. Elevators installed in all structures shall require a third party plan review and inspection by Northwest Colorado Council of Governments."

- (2) Section R301.2.3 Snow Loads is amended by the addition of the following: "Snow loads for roofs and decks shall be 75 pounds per square foot."
- (3) Section R302.2.2 Townhouses is amended by the deletion of the exception.
- (4) Section R302.5.1 is amended by the addition of the following statement at the end, *Doors shall be self closing.*
- (5) Section R302.7 is amended to read enclosed accessible spaces under stairs shall have walls, under stair surfaces and any soffit protected on the enclosed side with 5/8" Type X gypsum board.
- (6) Section R313.1 Townhouse automatic fire sprinkler systems is deleted in its entirety.
- (7) Section R313.2 One and two-family dwelling automatic fire systems is deleted in its entirety.
- (8) Section R315.1 Carbon Monoxide alarms is amended by deleting this section and replacing it with the following language: "For new construction, an approved carbon monoxide alarm shall be installed within fifteen feet of the entrance to each bedroom in dwelling units within which fuel-fired appliances are installed and in dwelling units that have attached garages."
- (9) Section R403.1.4.1 Frost Protection is amended by deleting the section in its entirety and replacing it with the following: "Foundation walls, piers, and other permanent supports of buildings shall be protected from frost by the following method - Footings subject to frost shall have a minimum depth of 48" measured from finished grade to the bottom of the footing or the depth specified by the soils engineer of record."
- (10) Section R403.2 Footings for Wood Foundations is amended by adding the following: "Foundations shall be designed by a registered Colorado Engineer or Architect and approved by a Geotechnical Engineer."
- (11) Section R403.3 Frost Protected Shallow Foundations is amended by adding the following: "Foundations shall be designed by a registered Colorado Engineer or Architect and approved by a Geotechnical Engineer."
- (12) Section R404.2 Wood Foundation Walls is amended by adding the following: "Foundations shall be designed by a registered Colorado Engineer or Architect and approved by the Geotechnical Engineer."
- (13) Section G2425.8 (501.8) Equipment Not Required to be Vented is amended by deleting item #7. The sentence after this exception should be amended to read: "Where the appliances listed in Items 5 and 6 above..."
- (14) Section G2445 (621) is amended by removing all subsections and replacing it with "Section G2445.1 General. Unvented room heaters are prohibited from installation."
- (15) Table R301.2(1) is amended by deleting it in its entirety and replacing it with the following:

Table R301.2(1)

CLIMATIC AND GEOGRAPHIC DESIGN CRITERIA

| Roof<br>Snow<br>Load | WIND DESIGN<br>Speed<br>(mph) | TOPOGRAPHIC<br>effects | SEISMIC<br>DESIGN<br>CATEGORY | SUBJECT TO DAMAGE<br>FROM |                        |                      | WINTER<br>DESIGN<br>TEMP | ICE BARRIER<br>UNDERLAYMENT<br>REQUIRED | FLOOD<br>HAZARDS | AIR<br>FREEZING<br>INDEX | MEAN<br>ANNUAL<br>TEMP |
|----------------------|-------------------------------|------------------------|-------------------------------|---------------------------|------------------------|----------------------|--------------------------|---|------------------|--------------------------|------------------------|
|                      |                               |                        |                               | Weathering                | Frost<br>line<br>depth | Termites             |                          |   |                  |                          |                        |
| 75 psf               | 90                            | NO                     | B                             | SEVERE                    | 48"                    | NONE<br>TO<br>SLIGHT | -15° F                   | YES                                     | 2007             | 2000                     | 45° F                  |

- (16) Table R302.6 is amended to read:

| SEPERATION  | MATERIAL  |
|---|---|
| From residence and attics   | not less than 5/8" Type X gypsum board applied on the garage side   |
| From all habitable rooms above the garage   | not less than 5/8" Type X gypsum board  |
| Structure(s) supporting floor ceiling assemblies used for separation required by this section | not less than 5/8" Type X gypsum board  |
| Garages located less than 6 feet from a dwelling unit on the same lot                         | not less than 5/8" Type X gypsum board applied to the interior side of exterior walls of the garage that are within this area |

- (17) Add a new Section R303.1.2 Mechanical ventilation to read:

R303.1.2 Mechanical ventilation. Dwelling units shall be provided with a mechanical exhaust system, supply system, or combination thereof to provide whole-building ventilation with outdoor air. Such system shall comply with Section R303.1.2.1 through R303.1.2.2.

Exception:

I. Other approved mechanical ventilation systems.

- (18) Add a new Section R303.1.2.1 Mechanical ventilation rate to read:

R303.1.2.1 Mechanical ventilation rate. The mechanical ventilation system shall provide outdoor air continuously at a rate of not less than that determined in accordance with Table R303.4(1)

Exception: Continuous operation of the system is not required where the system has controls that enable operation for not less than 25% of each 6 hour segment and the ventilation rate prescribed in Table R303.1.2.1 (1) is multiplied by the factor in accordance with Table R303.1.2.1 (2)

- (19) Add a new table, TABLE R303.1.2.1 (1) to read:

TABLE R303.1.2.1 (1)

VENTILATION AIR REQUIREMENTS, CFM

| FLOOR AREA (SQ.<br>FT.) | BEDROOMS |     |     |     |     |
|-------------------------|----------|-----|-----|-----|-----|
|                         | 0-1      | 2-3 | 4-5 | 6-7 | >7  |
| ≤1,500                  | 30       | 45  | 60  | 75  | 90  |
| 1,500-3,000             | 45       | 60  | 75  | 90  | 105 |
| 3,001-4,500             | 60       | 75  | 90  | 105 | 120 |
| 4,501-6,000             | 75       | 90  | 105 | 120 | 135 |
| 6,001-7,500             | 90       | 105 | 120 | 135 | 150 |
| >7,500                  | 105      | 120 | 135 | 150 | 165 |

For SI: 1 square foot = 1 square foot = 0.0929 m<sup>2</sup>.

1. Equation R303.1.2.1 (1) can be used as an alternative to Table R303.1.2.1 (1)

$$Q_{in} = 0.01 \text{ A} \text{ floor} + 7.5 (\text{Nbr} + 1)$$

Where:

$$Q_{in} = \text{fan flow rate in cubic feet per minute (cfm)}$$

$$\text{A} \text{ floor} = \text{floor area in square feet (ft}^2\text{)}$$

$$\text{Nbr} = \text{number of bedrooms; not to be less than 1}$$

- (20) Add a new table, TABLE R303.1.2.1 (2) to read:

**TABLE R303.1.2.1 (2)**  
**INTERMITTENT MECHANICAL VENTILATION RATE FACTORS □ □**

| Run-Time Percentage In each 6 hour Segment | 25% | 33% | 50% | 66% | 75% |
|--|-----|-----|-----|-----|-----|
| Factor                                     | 4   | 3   | 2   | 1.5 | 1.3 |

a. Interpolation between entries is permitted.

b. The ventilation system run time shall be not less than 25%

(21) Add a new section R303.1.2.2, System design, to read:

**R303.1.2.2 System design.** The required whole-house ventilation system shall consist of one or more supply or exhaust fans or a combination thereof and associated ducts and controls. Outdoor air ducts connected to the return side of an air handler shall be considered to be supply ventilation where the manufacturer's requirements for a minimum return air temperature for the air handler are met.

(22) Add a new section R303.1.2.3 System Controls, to read:

**R303.1.2.3 System Controls.** The mechanical ventilation system shall be provided with controls that enable occupant override.

(23) Add a new section R303.3.1 Bathroom ventilation to read:

**R303.3.1 Bathroom ventilation.** Bathrooms shall be mechanically exhausted in accordance with section 1507.

**Section 4,** Article 4 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

**International Fuel Gas Code**

**Section 18-4-10. International Fuel Gas Code adopted.**

(a) The *International Fuel Gas Code*, 2009 Edition 2<sup>nd</sup> printing as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001, Chapters 1 through 8 inclusive, ("IFGC") is hereby adopted by reference as the Town of Minturn Fuel Gas Code as if fully set out in this Ordinance with the additions, deletions, insertions and changes as set forth in this Article.

(b) No building shall be hereafter constructed, erected, enlarged, altered, or moved into the Town unless the same shall, as to design, construction, quality of materials and workmanship, conform with the IFGC, as adopted and as amended.

**Section 18-4-20. Amendments.**

The following sections of the adopted code are hereby revised as follows:

(1) Section 303.3 Prohibited Locations is amended by deleting exceptions number 3 and 4.

(2) Section 402.6.2 Liquefied Petroleum Gas Facilities and Piping is amended by the addition of the following sentence: "Liquefied petroleum gas facilities and equipment shall not be located in any pit or basement, under show windows or interior stairways, in engine, boiler, heater, or electric meter rooms". The following exception shall apply: "equipment may be installed with an approved means of detection and removal of unburned liquid petroleum gas. A minimum 3" drain pipe to the exterior of the building, propane sensor and automatic safety shutoff shall be installed. The drain shall not be trapped and shall be protected from snow closure and rodents. When the above listed means cannot be achieved, an engineered mechanical exhaust system with a propane sensor, and an automatic safety shut-off, shall be required".

(3) Section 501.8 Equipment Not Required to be Vented is amended by the deletion of item No. 8

**Section 5,** Article 6 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

**International Energy Conservation Code**

**Section 18-5-10. International Energy Conservation Code adopted.**

(a) The *International Energy Conservation Code*, 2009 Edition 5<sup>th</sup> printing as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001, Chapters 1 through 6 inclusive, ("IECC") is hereby adopted by reference as the Town of Minturn Energy Code as if fully set out in this Ordinance with the additions, deletions, insertions and changes as set forth in this Article.

(b) No building shall be hereafter constructed, erected, enlarged, altered, or moved into the Town unless the same shall, as to design, construction, quality of materials and workmanship, conform with the IECC, as adopted and as amended.

**Section 18-5-20. Amendments.**

The following sections of the adopted code are hereby revised as follows:

(1) Chapter 1 Administration shall be deleted and chapter 1 of the IBC and IRC shall apply.

**Section 6,** Article 7 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

**International Plumbing Code**

(a) The *International Plumbing Code*, 2009 Edition 3<sup>rd</sup> printing as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001, Chapters 1 through 13 inclusive, ("IPC") is hereby adopted by reference as the Town of Minturn Plumbing Code as if fully set out in this Ordinance with the additions, deletions, insertions and changes as set forth in this Article.

(b) No building shall be hereafter constructed, erected, enlarged, altered, or moved into the Town unless the same shall, as to design, construction, quality of materials and workmanship, conform with the IPC, as adopted and as amended.

**Section 7,** Article 8 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

**Mechanical Code**

**Section 18-8-10. International Mechanical Code adopted.**

(a) The *International Mechanical Code*, 2009 Edition 4<sup>th</sup> printing as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001, Chapters 1 through 15 inclusive, ("IMC") is hereby adopted by reference as the Town of Minturn Mechanical Code as if fully set out in this Ordinance with the additions, deletions, insertions and changes as set forth in this Article.

(b) No building shall be hereafter constructed, erected, enlarged, altered, or moved into the Town unless the same shall, as to design, construction, quality of materials and workmanship, conform with the IMC, as adopted and as amended.

**Section 8,** Article 9 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

**Property Maintenance Code**

**Section 18-9-10. International Property Maintenance Code adopted.**

(a) The *International Property Maintenance Code*, 2009 Edition 1<sup>st</sup> printing as published by the International Code Council, 500 New Jersey Avenue, NW, 6th Floor, Washington, DC 20001, is hereby adopted by reference as the Town of Minturn Property Maintenance Code as if fully set out in this Ordinance with the additions, deletions, insertions and changes as set forth in this Article.

(b) No building shall be hereafter constructed, erected, enlarged, altered, or moved into the Town unless the same shall, as to design, construction, quality of materials and workmanship, conform with the IPMC, as adopted and as amended.

**Section 9,** Article 10 of Chapter 18 of the Minturn Municipal Code is hereby repealed and reenacted to read as follows:

**National Electrical Code**

**Section 18-9-10. National Electrical Code adopted.**

(a) The *National Electrical Code*, as published by the National Fire Protection Association, and the rules and regulations thereunder, as adopted amended and updated to the most current edition by the Colorado State Electrical Board from time to time ("NEC") pursuant to the authority set forth in Article 23 of Title 12, C.R.S., is hereby adopted by reference as the City of Centennial Electrical Code as if fully set out in this Ordinance with the additions, deletions, insertions and changes as set forth in this Article.

(b) No building shall be hereafter constructed, erected, enlarged, altered, or moved into the City unless the same shall, as to design, construction, quality of materials and workmanship, conform with the NEC, as adopted and as amended.

**Section 10. Severability.** If any part, section, sub-section, clause or phrase of this Ordinance is for any reason held to be invalid, such decision shall not affect the validity of the remaining portions of this Ordinance; and the Town Council for the Town of Minturn, Colorado hereby declares it would have passed this ordinance and each part, section, sub-section, sentence, clause or phrase thereof, irrespective of the fact that any one or more parts, sections, sub-sections, sentences, clauses or phrases be declared invalid.

**Section 11.** The Town Council hereby finds, determines and declares that this Ordinance is necessary and proper for the health, safety and welfare of the Town of Minturn and the inhabitants thereof.

**Section 12.** The repeal or the repeal and re-enactment of any provision of the Minturn Municipal Code as provided in this ordinance shall not affect any right which has accrued, and duty imposed, any violation that occurred prior to the effective date hereof, any prosecution commenced, nor any other action or proceeding as commenced under or by virtue of the provision repealed or repealed and re-enacted. The repeal of any provision hereby shall not revive any provision or any ordinance previously repealed or superseded unless expressly stated herein.

INTRODUCED, TITLE READ IN FULL, APPROVED ON FIRST READING AND ORDERED PUBLISHED IN FULL THE \_\_\_\_ DAY OF JULY, 2011. A PUBLIC HEARING ON THIS ORDINANCE SHALL BE HELD AT THE REGULAR MEETING OF THE TOWN COUNCIL OF THE TOWN OF MINTURN, COLORADO, ON THE \_\_\_\_ DAY OF AUGUST, 2011, AT 7 P.M. IN THE MINTURN TOWN CENTER IN THE TOWN OF MINTURN, COLORADO.

\_\_\_\_\_  
Mayor

Attest:

\_\_\_\_\_  
Town Clerk

THE TOWN OF MINTURN, COLORADO, ORDAINS THIS ORDINANCE READ BY TITLE, ENACTED AND ORDERED PUBLISHED BY TITLE ONLY ON SECOND READING THIS \_\_\_\_ DAY OF \_\_\_\_\_, 2011.

\_\_\_\_\_  
Mayor

Attest:

\_\_\_\_\_  
Town Clerk

Published in the Vail Daily on July 26, 2011.